



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb
Governor

Bruno L. Pigott
Commissioner

September 17, 2021

Tania Daffron, Battalion Chief
City of Bloomington Fire Department
PO BOX 100
Bloomington, Indiana 47402
DaffroTa@bloomington.in.gov

Re: Approval FT-261952 Pursuant to 326 IAC 4-1
APPROVED

Battalion Chief Daffron:

You are hereby notified that your request for an approval from 326 IAC 4-1 is approved to conduct live fire training using the structures located at 1211 & 1213 S. High Street, Bloomington, Monroe County. In addition, within the structure at 1213 S. High Street, the carpeting may be left in place on the 2 basement staircases and the 1 staircase leading to the second story in order to minimize damage to turnout gear. Adequate measures must be taken to ensure the carpeting does not catch fire during the training and all carpeting must be removed prior to the final burning of the structure.

NOTE: The following contacts must be notified at least twenty-four (24) hours in advance of the date and time of the burning:

- Monroe County Health Department
- Monroe County Sheriff's Department
- IDHS Fire & Public Safety Academy – Wade Walling, Director
- IDEM SERO - Mark Amick

Following are the conditions for burning:

1. All asbestos-containing materials (ACM), asphalt roofing (including backer paper), and vinyl siding (including foam board insulation) must be removed before the intentional burning of any structure. These materials may not be burned and must be disposed of in an approved landfill.
2. Mercury switches and fluorescent bulbs must be removed from the structure and recycled or disposed of in a properly permitted municipal solid waste facility. It is recommended that they be sent to a local household waste collection location. For additional information, contact your solid waste management district (SWMD), visit www.idem.IN.gov/recycle, or contact IDEM at the numbers above.
3. If at any time the fire creates an air pollution problem, a threat to public health, a nuisance, or a fire hazard, the burning shall be extinguished.
4. No burning shall be conducted:
 - (a) When an Air Quality Action Day (AQAD) has been issued for ozone and/or PM_{2.5}. An AQAD is declared when health levels are forecasted to be "Unhealthy for Sensitive Groups" or greater;
 - (a) When an open burning ban has been declared by either state or local officials (www.IN.gov/dhs/burnban/); or
 - (b) During unfavorable meteorological conditions (high winds, temperature inversions, and/or air stagnation).Visit apps.idem.in.gov/smogwatch/Today.aspx, or contact Mark Derf at (317) 233-5682, for additional information.
5. Burning shall be conducted during daylight hours only and all fires shall be extinguished prior to sunset.
6. This approval letter shall be made available at the burning site to state or local officials upon request.
7. Burning may take place within one hundred (100) feet of a structure or power line; or three hundred (300) feet of a frequently traveled road, fuel storage area, or pipeline only if adequate precautions are taken. Wind speed, direction, mixing height, and transport winds shall be considered prior to beginning the burn so that there is minimal or no impact to nearby roads, structures, power lines, fuel storage areas, or pipelines.
8. All burning must comply with other federal, state, and local laws, regulations, and ordinances, including 40 CFR 61 Subpart M (National Emissions Standards for Asbestos).
9. Prior to the commencement of any demolition or renovation activities at the structure, the owner or operator must use an Indiana licensed asbestos inspector to inspect the structure thoroughly for the presence of asbestos-containing materials (ACM). All ACM must be removed prior to preparing the structure for the demolition (intentional burning). Depending on the types and amounts of ACM discovered by the licensed inspector, an Indiana licensed asbestos contractor using licensed personnel may be required to have the ACM removed in accordance with applicable state and federal rules and regulations (326 IAC 14-10, 326 IAC 18-1, and 40 CFR 61 Subpart M).

State Form 44593 "Notification of Demolition and Renovation Operations" must be submitted **10 business days** before the commencement of either the asbestos removal, or the intentional burning. This notification form must be submitted even if no asbestos is present. Please do not include copies of the asbestos inspection report when submitting the asbestos notification. Retain a copy of the report for your records so that it may be made available upon request.

Notifications can be submitted by any of the following methods:

- (a) E-Mail: AsbestosDemoReno@idem.IN.gov
- (b) Fax: (317) 233-3257
- (c) Mail/Hand Delivered:
IDEM, OAQ - Asbestos
100 N. Senate Ave., Room N1003
Indianapolis, IN 46204

Please be aware that upon submitting a notification, IDEM will assess a fee of \$50 for each structure being demolished. It is not necessary to include this fee when submitting the required notification. IDEM issues invoices to building owners/operators on a quarterly basis.


Visit IDEM's Asbestos website, www.idem.IN.gov/asbestos, for further guidance including instructions on how to search for licensed asbestos inspectors & contractors, obtaining necessary forms, and additional billing information.

10. This approval does not become effective until after fifteen days from the date of publication in *The Herald Times*.

This approval will expire September 15, 2022.

If you have any questions concerning this letter, please contact Brock Jones at (317)518-8279 or (800)451-6027, ext.3-2721 (toll free within Indiana), BJones2@idem.IN.gov, or write to him at the above address.

Sincerely,



Janusz Johnson, Chief
Compliance and Enforcement Branch
Office of Air Quality

Enclosures

Approval FT-261952

cc: Monroe County Health Department (healthdept2@co.monroe.in.us)
Monroe County Sheriff's Department (sheriffsoffice@co.monroe.in.us)
Property Owner: Privet Drive LLC (EvanMartin03@yahoo.com)
IDHS Fire & Public Safety Academy: ATTN – Director Walling (WWalling@dhs.IN.gov)
ACSIII (Asbestos), IDEM OAQ
Mark Amick, IDEM SERO (MAmick@idem.IN.gov)
Daniel Ross, IDEM SERO (DRoss@idem.IN.gov)
Brock Jones, IDEM OAQ (BJones2@idem.IN.gov)



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb
Governor

Bruno L. Pigott
Commissioner

September 17, 2021

ATTENTION: Legal Advertising, Public Notices
The Herald Times
P.O. Box 909
Bloomington, Indiana 47402
publicnotice@heraldt.com

Enclosed, please find one (1) Indiana Department of Environmental Management Notice of Public Comment for an approval from 326 IAC 4-1 to conduct live fire training to City of Bloomington Fire Department.

Since our agency must comply with the requirement which calls for a 15 day Notice Period, we request that you print this Notice one time as soon as possible.

We are required by the Auditor's Office to request that you place the Federal ID Number on this claim. Please send a notarized form and clipping showing the date of publication along with the billing to, Attn: Trudy Price, MC 50-10A, Room 1340, Indiana Department of Environmental Management, 100 North Senate Avenue, Indianapolis, Indiana 46204.

If you have any questions concerning this letter, please contact me at (317)518-8279 or (800)451-6027, ext. 3-2721 (toll free within Indiana), BJones2@idem.IN.gov, or write to me at the above address.

Sincerely,

Brock Jones
Compliance Section II
Office of Air Quality

Enclosures
Approval FT-261952

NOTICE OF OPEN BURNING APPROVAL
FT-261952

Notice is hereby given that an approval from 326 IAC 4-1 has been issued to the City of Bloomington Fire Department, to conduct live fire training using the structures located at 1211 & 1213 S. High Street, Bloomington, Monroe County. In addition, within the structure at 1213 S. High Street, the carpeting may be left in place on the 2 basement staircases and the 1 staircase leading to the second story in order to minimize damage to turnout gear. Adequate measures must be taken to ensure the carpeting does not catch fire during the training and all carpeting must be removed prior to the final burning of the structure.

Any affected person wishing to challenge this decision is required by Indiana Code Section (IC) 4-21.5-3-7 to file a petition for administrative review. (Please note that a "petition for administrative review" is not a compilation of interested party signatures but is a legal document, the requirements of which are described in IC 4-21.5-3-7.) The petition must be submitted in writing to N-501E, Indianapolis, Indiana 46204, within fifteen (15) days of the publication of this newspaper notice.

Pursuant to IC 13-14-8-11 (formerly IC 13-7-7-6), IC 4-21.5-3-5 and IC 4-21.5-3-7, this decision will become effective fifteen (15) days after the publication date of this newspaper notice or, in the case of individuals who have received personal notifications, eighteen (18) days after the mailing date of this Notice of Approval unless a petition for review is submitted by an affected party. Pursuant to IC 4-21.5-3-5(d), the Office of Environmental Adjudication will provide an interested party with notice of any pre-hearing conferences, preliminary hearing, or orders disposing of the review of this decision if a written request is submitted to the Office of Environmental Adjudication. Further information regarding the appeal process is available at <https://www.in.gov/oea/2370.htm>.

A copy of the Approval decision is available for inspection and copying at the following:

- Monroe County Health Department, 119 W. 7th Street, Bloomington
- Monroe County Public Library, 303 E. Kirkwood Avenue, Bloomington
- Indiana Department of Environmental Management (IDEM) Virtual File Cabinet (VFC) at vfc.idem.in.gov
 - The Approval can be found in VFC by using the following search criteria:
 - *Program*: OAQ
 - *Document Type*: Compliance
 - *FullText Search*: FT-261952



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb
Governor

Bruno L. Pigott
Commissioner

September 17, 2021

TO: Monroe County Public Library
303 E. Kirkwood Avenue
Bloomington, Indiana 47408-3534
mwood@mcpl.info

FROM: Janusz Johnson, Chief
Compliance and Enforcement Branch
Office of Air Quality

RE: Open Burning Approval: Fire Training

In an effort to better disseminate approval information to the public for their review and comment, the Indiana Department of Environmental Management requests the use of the services of libraries statewide. Enclosed is a copy of the approval to conduct live fire training issued to the City of Bloomington Fire Department. Please allow patrons to access this information for reading or copying. These are not copyright documents, and your current policies regarding photocopy charges apply. We ask that this document be maintained for at least 15 days from the date of publication in *The Herald Times*. You are not responsible for collecting or responding to comments or questions regarding the approval. Any comments or questions should be directed to the staff member noted in the approval or sent to:

Department of Environmental Management
Office of Air Quality
100 North Senate Avenue
Indianapolis, Indiana 46204

An approval notice will be published in the local newspaper. In this notice, your library will be designated as a location where the public review can take place.

Thank you for your assistance in better informing the public about the Department's activities.

If you have any questions concerning this letter, please contact Brock Jones at (317)518-8279 or (800)451-6027, ext.3-2721 (toll free within Indiana), BJones2@idem.IN.gov, or write to him at the above address.

Enclosures
Approval FT-261952



**REQUEST FOR VARIANCE FROM 326 IAC 4-1
FIRE TRAINING**

State Form 49634 (R4 / 9-09)
INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

Indiana Department of Environmental Management
Office of Air Quality - Air Compliance Branch
100 N. Senate Avenue
MC 61-50, Room 1003
Indianapolis, IN 46204-2251
Telephone (317) 233-5672 or
1-800-451-6027 (Indiana Residents Only)
<http://www.idem.IN.gov/4819.htm>

- NOTE**
- This is an application for open burning approval for fire training to comply with 326 IAC 4-1. Complete and return this application to the Office of Air Quality address provided in the upper right hand side of the form or FAX to 317-233-6865. In case of questions someone may be reached at 317-233-5672 or (in Indiana) 1-800-451-6027 press 0, and ask for extension 3-5672.
 - You can fill out this form electronically, using your mouse and keyboard. Simply click inside of the number one (1. Name) field to begin, and advance to the next fields using the "tab" key on your keyboard, or by clicking in the field with your mouse.

FOR OFFICE USE ONLY	
VARIANCE ID NUMBER	ASSIGNED TO
FT-261952	BKJ

NOTE

► Please complete the following and return to the Office of Air Quality, Indiana Department of Environmental Management, MC 61-51, Room 1003, Indianapolis, Indiana 46204-2251, 60 days prior to the proposed burning date. A list of names & addresses of all parties potentially affected should accompany this application using State Form 49635 "Identification of Potentially Affected Persons"¹.

PART A: PERSON, CONTRACTOR, OR DEPARTMENT CONDUCTING BURN

1. Name Tania Daffron	2. Title Battalion Chief
3. Organization name City of Bloomington Fire Department	
4. Address (number and street) PO BOX 100 -or- 226 S. College (temporary physical address)	
5. City Bloomington	6. State Indiana
	7. ZIP code 47402
8. Daytime telephone (812) 272 - 2113	9. FAX number (N/A) -

PART B: PROJECT LOCATION

10. Site Address (Street or 911 address or directions from known roads/streets/intersection/and which side of road) 1211 & 1213 S. High Street [two residential structures total (each on the same parcel of land under common ownership)]	
11. City Bloomington	12. County Indiana
13. Is burn site located in an unincorporated area? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	14. Is the burn site within 100 feet of a structure? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
15. 100 feet of a power line? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	16. 300 feet of a frequently traveled road? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
17. 300 feet of a fuel storage area or pipeline? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	

PART C: MATERIAL TO BE BURNED

18. Specify the type of material to be burned (check all that apply) <input type="checkbox"/> Wood construction waste <input type="checkbox"/> Tree waste (Vegetation) <input type="checkbox"/> Prescribed vegetation burn <input checked="" type="checkbox"/> Structure <input type="checkbox"/> Other (Specify) _____	
19. If requesting permission to burn wood waste from a structure, is the structure standing? <input type="checkbox"/> YES <input type="checkbox"/> NO	
20. Please check the type of structure. <input type="checkbox"/> Barn <input checked="" type="checkbox"/> House <input type="checkbox"/> Out building <input type="checkbox"/> Church <input type="checkbox"/> Garage <input type="checkbox"/> Commercial <input type="checkbox"/> House trailer <input type="checkbox"/> Other (Specify) _____	
21. If material to be burned is in a pile, how many piles are there? N/A	22. If vegetation project, number of acres involved? N/A

23. Each pile is approximately _____ feet long _____ feet wide _____ feet high; If a circular pile _____ feet diameter _____ feet high
--

PART D: PROJECTED BURNING TIME

24. Projected burning date(s)(mm/dd/yyyy) 9/30/2021 - 10/31/2021	25. Total hours of burning time <50 hours
--	---

PART E: TRAINING ISSUES

26. Purpose of training - Live fire practice, hoseslays, fire suppression, offensive & defensive attacks
27. Type of equipment to be used - Municipal front-line apparatus
28. Number of individuals involved ~100 individuals
29. Names of other departments None at this time

PART F: SIGNATURE

I hereby certify that the information above is accurate to the best of my knowledge.

	9. 7. 2021
Signature	Date (mm/dd/yyyy)
Tania Daffron	Battalion Chief
Type or print name	Title

¹ Available from the IDEM Office of Air Quality or on the Internet at <http://www.IN.gov/icpr/webfile/formsdiv/49635.pdf>



IDENTIFICATION OF POTENTIALLY AFFECTED PERSONS

State Form 49635 (R5 / 3-14)

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY – COMPLIANCE & ENFORCEMENT
 100 N. Senate Avenue
 MC 61-50
 Indianapolis, IN 46204
 Fax: (317) 233-6865
 Telephone: (317) 233-5672 or
 1-800-451-6027 (Inside Indiana Only)
 E-mail: burnapprovals@idem.in.gov
 Website: <http://www.IN.gov/4111>

INSTRUCTIONS:

- As part of the application for open burning approval, and in order to comply with the Administrative Orders and Procedures Act IC 4-21.5-3-5, complete and return this form with your application to the Office of Air Quality address or fax provided in the upper right hand side of the form. In case of questions, someone may be reached at 317-233-5672 or (in Indiana) 1-800-451-6027, and ask for extension 3-5672.
- You can fill out this form electronically. Simply click inside of the first field (Owners' Name) to begin, and advance to the next fields using the "tab" key on your keyboard, or by clicking in the field with your mouse.

FOR OFFICE USE ONLY	
APPROVAL ID NUMBER	ASSIGNED TO

NOTE

► Please read the related letter from the Air Compliance & Enforcement Branch Chief and list here any person whom you have reason to believe could be considered to be potentially affected under the law. List the burn site property owner in Part A of this application. Public Utility Owners with pipelines within three hundred (300) feet and power lines or communication lines within one hundred (100) feet from the proposed burn site need to be listed in Part C. If there are more than four (4) Right of Way (ROW) Owners please use a separate page. Part D should include adjacent land owners and/or those who rent property. The Office of Air Quality will notify these parties. Please note that if there are more than fifteen (15) people listed in Part D, we will likely do a public notice at no cost to you and you do not need to list all the names; just state that you request a public notice to be done. To ensure conformance with the Administrative Orders and Procedures Act, please list all such parties. Use additional sheets if necessary. Once completed, sign this form and return it with the signed application.

PART A: THE PROPERTY OWNER

Name of Owners: Privet Drive, LLC	Address: 2200 S. Walnut Street.	
City/State: Bloomington, IN	ZIP Code: 47401	Telephone Number: 812.360.2200

PART B: NAME & COMPLETE ADDRESS OF BURN PROPERTY

Name: private residence	City: Bloomington	County: Monroe
Address: 1213 S. High Street	ZIP Code: 47401	

PART C: RIGHT OF WAY (ROW) OWNERS

ROW Company:	ROW Contact:
Address and City/State/ZIP Code:	
E-mail Address:	Telephone Number:
ROW Company:	ROW Contact:
Address and City/State/ZIP Code:	
E-mail Address:	Telephone Number:
ROW Company:	ROW Contact:
Address and City/State/ZIP Code:	
E-mail Address:	Telephone Number:

PART D: NUMBER OF AFFECTED PARTIES

- Fifteen (15) affected parties or less listed in Part E.
- More than fifteen (15) affected parties, please public notice.
 * No need to list all affected parties in Part E.

Jason Moore
Fire Chief

Jayme Washel
Deputy Chief

Tania Daffron
BC/Training



City of Bloomington Fire Department

Respect – Integrity - Service - Excellence

“Saving Lives and Protecting Property with Honor and Professionalism”

Roger Kerr
Batt Chief / A Shift

Travis Drescher
Batt Chief / B Shift

Neville Vaughan
Batt Chief / C Shift

September 2, 2021

Indiana Department of Environmental Management (IDEM)
Office of Air Quality-Air Compliance Branch
100 N. Senate Avenue
Indianapolis, IN 46204

Attn: Brock Jones, Compliance Inspector

Greetings.

Thank you for visiting our proposed training/live burn site and the guidance you provided.

While we do plan on live burn scenarios on the various levels at the site prior the final and complete burn/s, we would like to do additional firefighter rescue training. With the home/s being so large, multiple evolutions are possible. To that end we would request that any carpeting on the two basement stairs, and the stairway leading to the second story, be allowed to remain so as to minimize the wear and tear on our PPE. All carpeting will be removed from the staircase on the second floor leading to the attic. Adequate measures will be taken to ensure that the carpeting left on the stairs will not burn during live fire training evolutions. All carpeting left in place on the stairways will be removed prior to the final burn down.

As discussed during our meeting, our water supply is more than sufficient; however we would also like to practice drafting and will have a full dump tank on site. This tank could be kept full by the nearby hydrant/s as well.

We look forward to the opportunity to practice our skills at this site, should approval be granted. Again, we thank you for your time and consideration. Should you have any questions or concerns, please feel free to contact me at your convenience.

Respectfully,

Tania Daffron
Battalion Chief
Bloomington Fire Department

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
FIELD INSPECTION CHECKLIST
LIVE FIRE TRAINING UTILIZING A STRUCTURE**



INSPECTION INFORMATION			
FIRE DEPARTMENT MAKING REQUEST	Bloomington Fire Department	FT-261952	
THOSE PRESENT DURING INSPECTION	Tania Daffron, Battalion Chief Evan Martin, Property Owner	INSPECTION DATE	August 31, 2021
SITE ADDRESS	1211 & 1213 S. High Street, Bloomington	INSPECTED BY	Brock Jones

BACKGROUND INFORMATION
<p>The Bloomington Fire Department are requesting approval to use 2 acquired structures for live fire training operations. The two structures are located on 2.5 acres of adjacent land under the common ownership of "Privet Drive LLC".</p> <p>The structure located at 1213 S. High Street is ~4,400ft², consists of a basement (which has a walk out patio on the southside of the building), two stories, plus an attic. The attic is open, with a subfloor, accessible via a staircase, and appeared to be in the process of renovating it into a more habitable space.</p> <p>The structure at 1211 S. High Street is ~2,000ft², and consists of two levels (no basement, no attic).</p>

1213 S. HIGH STREET, BLOOMINGTON (IMAGE 1)			
ITEMS	NEEDS REMOVED	N/A	NOTES
Asphalt roofing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Asbestos roofing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Fiberglass roofing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Treated wood	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Pergola over the basement's walkout patio (south side of structure)
Vinyl siding	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Asbestos siding	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Asphalt siding	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Fluorescent bulbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Floor coverings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The house has 4 total staircases, all of which are curved without handrails. 2 staircases lead to the basement, 1 to the 2 nd floor, and one to the attic. Due to the large square footage, the FD will submit a justification letter requesting approval to keep the carpeting in place on all stairs (other than the attic stairs) in order to minimize wear and tear on PPE. All carpeting will be removed prior to final burn down.
Appliances	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The house was free of all appliances.
Fuel tanks	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mercury (thermostat)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Plastic mini blinds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Furniture	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Trash	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Decorative window shutters (vinyl)
Known Clandestine Lab (www.meth.in.gov): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Asbestos requirements Apply: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Suspect Asbestos Observed: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
ADDITIONAL COMMENTS: The ductwork and furnace appeared to have been relatively new and was free of suspect ACM.			



Image 1. Structure located at 1213 S. High Street, Bloomington to be used by the Bloomington Fire Department for live fire training purposes. Photograph taken by Brock Jones, IDEM OAQ, at the time of the inspection on August 21, 2021


REMAINDER OF PAGE LEFT BLANK INTENTIONALLY

1211 S. HIGH STREET, BLOOMINGTON (IMAGE 2)			
ITEMS	NEEDS REMOVED	N/A	NOTES
Asphalt roofing	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Asbestos roofing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Fiberglass roofing	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Treated wood	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Vinyl siding	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Asbestos siding	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Asphalt siding	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Fluorescent bulbs	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Floor coverings	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Appliances	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Fuel tanks	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Mercury (thermostat)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Plastic mini blinds	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Furniture	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Trash	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Other	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Decorative window shutters (vinyl)
Known Clandestine Lab (www.meth.in.gov): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
Asbestos requirements Apply: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Suspect Asbestos Observed: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<p>ADDITIONAL COMMENTS:</p> <p>Suspect ACM observed on an elbow of ductwork located in the area behind the HVAC unit. Suspect ACM vibration lag cloth also observed on the HVAC unit. The material was not identified during the initial asbestos inspection and another inspection of the area will be required. No training props are planned to be used in this structure.</p> <p>Structure was originally built as a horse stable and has since been modified into a residential dwelling unit.</p>			

REMAINDER OF PAGE LEFT BLANK INTENTIONALLY



Image 2. Structure located at 1211 S. High Street, Bloomington to be used by the Bloomington Fire Department for live fire training purposes. Photograph taken by Brock Jones, IDEM OAQ, at the time of the inspection on August 21, 2021.

INSPECTION FINDINGS		
APPROVAL REQUEST RECOMMENDATION:	<input checked="" type="checkbox"/> APPROVE	<input type="checkbox"/> OTHER*
	*EXPLAIN:	
<div style="display: flex; justify-content: space-between;"> <div style="text-align: center;">  </div> <div style="text-align: right;"> <p>SEPTEMBER 14, 2021</p> </div> </div>		
INSPECTOR'S SIGNATURE	DATE	

From: [Gannett Legals Public Notices 7](#)
To: [Alderman, Sara](#)
Subject: RE: 6308621 Request for Publication - OPEN BURNING FT-261952 The Herald Times
Date: Friday, September 17, 2021 2:17:52 PM
Attachments: [6308621.pdf](#)

**** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Hello Sara,

Please find attached your order confirmation and proof of the ad.

Your ad is set to run in:

· Bloomington Herald Times on September 21st, 2021. \$41.86

The total cost is \$41.86 which includes an affidavit, which will be mailed to you after the ad publishes. Please reply by 12 pm Monday, September 20th with changes for the ad. Your notice is scheduled to run per your request and will publish unless you advise otherwise. You will be able to receive an affidavit 7-10 business days after the last day of printing.

Thanks,

Samuel Beaton
Public Notice Team Lead

Office: 833-790-0905

-----Original Message-----

From: Alderman, Sara <SAlderma@idem.IN.gov>
Sent: Friday, September 17, 2021 1:10 PM
To: IN-Bloomington Public Notice <publicnotice@heraldt.com>
Subject: 6308621 Request for Publication - OPEN BURNING FT-261952 The Herald Times

Good Afternoon

I need the attached public notice published one time as soon as possible. If you could, please send a reply to this email stating that you received it and when you have it scheduled to publish. If you have any questions, please feel free to let me know. Thank you in advance for your help with this matter.

Brock Jones
317-233-2721
bjones2@idem.in.gov

Ad Preview

NOTICE OF OPEN BURNING APPROVAL FT-261952

Notice is hereby given that an approval from 326 IAC 4-1 has been issued to the City of Bloomington Fire Department, to conduct live fire training using the structures located at 1211 & 1213 S. High Street, Bloomington, Monroe County. In addition, within the structure at 1213 S. High Street, the carpeting may be left in place on the 2 basement staircases and the 1 staircase leading to the second story in order to minimize damage to turnout gear. Adequate measures must be taken to ensure the carpeting does not catch fire during the training and all carpeting must be removed prior to the final burning of the structure.

Any affected person wishing to challenge this decision is required by Indiana Code Section (IC) 4-21.5-3-7 to file a petition for administrative review. (Please note that a "petition for administrative review" is not a compilation of interested party signatures but is a legal document, the requirements of which are described in IC 4-21.5-3-7.) The petition must be submitted in writing to N-501E, Indianapolis, Indiana 46204, within fifteen (15) days of the publication of this newspaper notice.

Pursuant to IC 13-14-8-11 (formerly IC 13-7-7-6), IC 4-21.5-3-5 and IC 4-21.5-3-7, this decision will become effective fifteen (15) days after the publication date of this newspaper notice or, in the case of individuals who have received personal notifications, eighteen (18) days after the mailing date of this Notice of Approval unless a petition for review is submitted by an affected party. Pursuant to IC 4-21.5-3-5(d), the Office of Environmental Adjudication will provide an interested party with notice of any pre-hearing conferences, preliminary hearing, or orders disposing of the review of this decision if a written request is submitted to the Office of Environmental Adjudication. Further information regarding the appeal process is available at <https://www.in.gov/oea/2370.htm>.

A copy of the Approval decision is available for inspection and copying at the following:

- Monroe County Health Department, 119 W. 7th Street, Bloomington
- Monroe County Public Library, 303 E. Kirkwood Avenue, Bloomington
- Indiana Department of Environmental Management (IDEM) Virtual File Cabinet (VFC) at vfc.idem.in.gov o The Approval can be found in VFC by using the following search criteria: Program: OAQ Document Type: Compliance FullText Search: FT-261952 HSPAXLP